EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1089	"188"/$.ccls. and (drum with (flat$1 or segment$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/12 08:51
L2	544	"188"/$.ccls. and (drum with (segment$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/12 08:52
L3	37	"188"/$.ccls. and (drum with (segment$3) with plate with (lining or friction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/12 08:52
L4	27	("2217176" | "2709505" | "3138224" | "3141524" | "3385256" | "4037689" | "4085826" | "4124105" | "4250978" | "4344509" | "4437547" | "4460067" | "5033590" | "5117947" | "5139114" | "5261508" | "5299663" | "5339928" | "5511636" | "5520265").PN. OR ("5893434").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/12 09:05
L5	1	("2709505").URPN.	USPAT	OR	OFF	2009/02/12 09:10
L6	1	("3029901").URPN.	USPAT	OR	OFF	2009/02/12 09:11
L7	0	("2765883").URPN.	USPAT	OR	OFF	2009/02/12 09:11
L8	2	("2718936").URPN.	USPAT	OR	OFF	2009/02/12 09:11
L9	5	("2647592").URPN.	USPAT	OR	OFF	2009/02/12 09:12
L10	27	("0707232" | "1682319" | "1781074" | "1937140" | "20020023808" | "20020121412" | "2067677" | "2480947" | "2541978" | "2879866" | "3467229" | "3891069" | "4453621" | "4501347" | "4569424" | "4588050" | "4646885" | "4771870" | "5119909" | "5139114" | "5255762" | "5429215" | "5469942" | "5636717" | "5839550" | "5941349" | "6520301").PN.	US-PGPUB; USPAT	OR	OFF	2009/02/12 09:30

L11	13	("0707232" | "1320669" | "1673027" | "3467229").PN. OR ("4453621").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/12 09:33
L12	2	("707232").URPN.	USPAT	OR	OFF	2009/02/12 09:35
L20	1	"10/595350"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/12 11:45
L21	132	188/250d.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/12 12:32
L22	9	beri-m$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/12 12:34
S1	0	(disc or disk) with brak$3 with preassembled with fastener$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/05 10:07
S2	53	(disc or disk) with brak$3 with preassembled	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/05 10:07
S3	21	brak$3 with shoe$1 with preassembled	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/05 10:09
S4	660	188/234,235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/05 10:42
S5	34	("0441215" | "1796433" | "2158337" | "2581926" | "2809130" | "2879866" | "3064769" | "3477551" | "3851724" | "3918555" | "3956548" | "4373615" | "4858732").PN. OR ("5261512").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/05 10:46
S6	9389	(circular near slot$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/05 12:02
S7	1150	(circular near slot$1).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/05 12:03

S9	25	"2073834"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/05 12:26
S10	1305	188/250g,250b,250e.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/02/05 12:55
S11	1096	S10 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/05 12:55
S12	868	(rectangular near shank)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/06 16:20
S13	109	(rectangular near shank).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/06 16:20
S14	43	(cylindrical near brake near shoe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 10:16
S15	1	("2879866").PN.	USPAT	OR	OFF	2009/02/09 11:00
S16	1	("2879866").PN.	USOCR	OR	OFF	2009/02/09 11:00
S17	7	"188"/$.ccls. and ((brak$3 near shoe$1) with key with slot with elongate$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 11:43
S18	2658	(elongated with slot with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 12:08
S19	37	S18 and (brak$3 near shoe$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 12:08
S20	0	(elongated with slot with correspodning with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 12:13
S21	0	(slot with correspodning$2 with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 12:13
S22	23	(slot with correspond$3 with key with elongat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 12:14

S23	1	threaded near clinch near stud near bolts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 12:49
S24	1	clinch near stud near bolts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 12:50
S25	1	clinch with stud with bolts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 12:51
S26	220	thread$3 near stud near bolts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 12:51
S27	7	(thread$3 near stud near bolts).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 12:51
S28	1745	(cylinder$1 or tube$1) with telescop$3 with stop$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/09 13:36
S29	8	("20040154877" | "20050140205" | "3576128" | "4546296" | "4784244" | "4953669" | "6408970" | "7364020").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/09 14:30
S30	809	(flaring near tool$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/11 14:09
S31	6	S30 and "188"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/11 14:09
S32	32	(flaring near tool$1) with fasten$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/11 14:13
S33	557	(fastener$1 with (longer or length) with alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/11 14:20
S34	11	S33 and (brak$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/11 14:20

S35	0	(fastener$1 near (longer or length) near alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/11 14:23
S36	3727	((longer or length) near alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/11 14:23
S37	205	((longer or length) near alignment) with (fasten$3 or connect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/11 14:23
S38	47	((longer) near alignment) with (fasten$3 or connect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/02/11 14:27

2/12/09 12:45:46 PM
C:\ Documents and Settings\ mburch\ My Documents\ EAST\ Workspaces\ 10595350.wsp